

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A storage device, comprising:
a cache array having cache lines filled with contiguous instructions in an instruction cache (ICache) portion that is adjacent to a trace cache (TCache) portion wherein:
cache lines are filled with elements of a trace; and
neither the ICache portion nor the TCache portion are looked-up when the TCache portion is supplying instructions; and
an instruction indexing logic, wherein
the indexing logic is not used for either the ICache portion or TCache portion when the TCache portion is supplying ~~instructions~~ instructions; and
the TCache portion is indexed only when a processor executes one of:
a branch instruction;
a jump instruction;
a call instruction; and
a return instruction.
2. (Previously presented) The storage device of claim 1 wherein the ICache portion is looked-up using the indexing logic when the TCache portion is not supplying instructions.

~~3. (Canceled).~~

4. (Original) The storage device of claim 1 wherein a line in the TCache portion is indexed when a branch instruction is executed.

5. (Original) The storage device of claim 1 wherein the TCache portion contains non-contiguous instructions from an instruction stream.

6. (Currently amended) A system, comprising:
a processor;
at least one antenna to receive modulated signals and supply a signal to the processor;
a cache having in one array both an instruction cache (ICache) portion and a trace cache (TCache) portion, where a line in the TCache portion is not looked-up when the TCache portion is supplying instructions; and
an instruction indexing logic, wherein

the indexing logic is not used for either the ICache portion or TCache portion when the TCache portion is supplying ~~instructions.~~ instructions; and

the TCache portion is indexed only when the processor executes one of:

a branch instruction;

a jump instruction;

a call instruction; and

a return instruction.

~~7. (Canceled)~~

8. (Previously presented) The system of claim 6 wherein the ICache portion is looked-up using the indexing logic when the TCache portion is not supplying instructions.

~~9. (Canceled)~~

10. (Currently amended) A method, comprising:
intermingling cache lines in one array of a cache where a first cache line in a trace cache (TCache) portion is physically adjacent a second cache line in an instruction cache (ICache) portion and selecting the TCache or the ICache portion based on an address of the next instruction; and
using an instruction indexing logic to select some instructions, wherein
the indexing logic is not used for either the ICache portion or TCache portion when the TCache portion is supplying ~~instructions~~; instructions; and
the TCache portion is indexed only when a processor executes one of:
a branch instruction;
a jump instruction;
a call instruction; and

a return instruction.

11. (Original) The method of claim 10, further including:
dynamically changing a number of lines in the ICache portion and the TCache portion.
12. (Original) The method of claim 10, further including:
dynamically altering a size of the ICache portion and the TCache portion in the one array as time progresses.
13. (Original) The computer system of claim 10, further including:
supplying a program-order stream of instructions from each cache line in the TCache portion.
14. (Original) The computer system of claim 10, further including:
supplying instructions in program order from cache lines in the ICache portion until a branch is encountered.
15. (Original) The computer system of claim 10, further including: associating a next address with the first cache line in the TCache portion to allow a next line to be ready before a current line is completely fetched.
16. (Previously presented) A method comprising:

filling an array with instruction cache (ICache) cache lines mixed with trace cache (TCache) cache lines where an allocated proportion of ICache cache lines to TCache cache lines is dynamically changing with time and neither the ICache portion nor the TCache portion are looked-up when the TCache portion is supplying instructions; and using an instruction indexing logic to select some instructions, wherein the indexing logic is not used for either the ICache portion or TCache portion when the TCache portion is supplying ~~instructions~~ instructions; and the TCache portion is indexed only when a processor executes one of:

a branch instruction;

a jump instruction;

a call instruction; and

a return instruction.

17. (Original) The method of claim 16, comprising:

using an address of a next instruction when an end of a cache line is reached to determine use of the ICache cache lines or the TCache cache lines.

18. (Original) The method of claim 16, comprising:

searching both the ICache cache lines and the TCache cache lines when an address is a result of a branch target.

19. (Original) The method of claim 16, comprising:

using the TCache cache lines when an address is found in the TCache cache lines.

20. (Original) The method of claim 19, comprising:

using the ICache cache lines when the address is found in the ICache cache lines and not in the TCache cache lines.

3

~~21.~~

(Previously presented) The method of claim 1, wherein the ICache and TCache portions may migrate within the cache as time progresses.

22. (Previously presented) The system of claim 6, wherein the at least one antenna comprises a Radio Frequency (RF) transceiver.

23. (Previously presented) The system of claim 6, further comprising a control circuit to control the storage and retrieval of data words stored in the cache.

7

~~24.~~

(Previously presented) The system of claim 6, wherein the TCache line size is a multiple of the ICache line size.

9

~~25.~~

(Previously presented) The system of claim 6, wherein the ICache and TCache portions may migrate within the cache as time progresses.

24

~~26.~~

(Previously presented) The method of claim 10, wherein the ICache portion is looked-up using the indexing logic when the TCache portion is not supplying instructions.

25

~~27.~~ (Previously presented) The method of claim 10, wherein the TCache line size is a multiple of the ICache line size.

26

~~28.~~ (Previously presented) The method of claim 10, wherein the ICache and TCache portions may migrate within the cache as time progresses.

21

~~20.~~ (Previously presented) The method of claim 16, wherein the ICache portion is looked-up using the indexing logic when the TCache portion is not supplying instructions.